FILE NOTATIONS		ones
Entered in NID File	Checked by Chief	Collin
Ento ed On S R Sheet	Copy NID to Field Office	·•
Location Map Pinned	Approval Letter	
Card Indexed	Disapprova 1 offer	***************************************
I'W R for State or Fee Land		
COMPLETION DATA:		
Date Well Completed 12-29-63	Location Inspected	******
OW WW TA	Bond released State of Fee Land	***************************************
Dril Log 3-30-64	FILÈD	
El Logs (No. )		
E 1: E-1		
int Mil Co.	nic lex L Others	************

27.91

CONDITIONS OF APPROVAL, IF ANY:

EGPH F. Y. E SUBMIT IN

UBMIT IN CATE

Form approved. Budget Bureau No. 42-R1425.

### UNICED STATES DEPARTMENT OF THE INTERIOR

	instruct	on
20	mamaa aida.	

	DEPARTMEN	T OF THE IN	ITERIOR		5. LEASE DESIGNATIO	N AND SERIAL NO.
	GEOLO	OGICAL SURVE	Y		14-20-603-	ปลิ
APPLICATION	N FOR PERMIT	TO DRILL, D	EEPEN, OR PLU	JG BACK	6. IF INDIAN, ALLOTT	and the second s
1a. TYPE OF WORK					Maraje Tell	
	LL 🗶	DEEPEN [	PLUG	BACK 🗌	7. ÚNIT AGRÉEMENT	NAME
b. TYPE OF WELL OIL BY G.	AS 🗀		SINGLE [ ]	MULTIPLE [		- 12 5 5
WELL W	ELL OTHER			ONE	8. FARM OR LEASE N	AMT
2. NAME OF OPERATOR				s.s.	Bave (	<u> </u>
3. ADDRESS OF OPERATOR	Drilling Corp	<b>-</b>			9. WELL NO.	
					10	
LOCATION OF WELL (R	46, Farmington	New Herico	any State requirements.	• \	10. FIRLD AND POOL,	OR WILDCAT
At surface 🗸 🔌	-		any state requirements.	· ·	Wildent	
700 17	. FML, 780 ft.	ENL		į	AND SURVEY OR	AREA
At proposed prod. zon		V				
A DISTANCE IN MILES	AND DIRECTION FROM NE		OPRIOR®	<u> </u>	35-TLOS-R25	18
			O = 0 1 ( M :	*	12. COUNTY OR PARIS	H 13. STATE
15. DISTANCE FROM PROP	ISM Cortes, Co	lo,	16. NO. OF ACRES IN LEA	SE 17 VOOR	DE ACRES ASSESSED	- Utah
LOCATION TO NEARES PROPERTY OR LEASE LIN	T som		LO. NO. OF ACRES IN LEA		HIS WELL	
(Also to nearest drlg	. line, if any) 700		24,00		80 acs	
<ol> <li>DISTANCE FROM PROP TO NEAREST WELL, D</li> </ol>	RILLING, COMPLETED,		19. PROPOSED DEPTH	20. ROTA	RY OF CABLE TOOLS	
OR APPLIED FOR, ON TH		1	5800 ft.	Rot		
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)			7.	22. APPROX. DATE W	OBK WILL START*
48 <b>38 gl</b>						<u> </u>
23.		PROPOSED CASING	G AND CEMENTING PI	ROGRAM		,
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	OT SETTING DEPT	H	QUANTITY OF CEMI	ENT
11"	8_C/9# /	m) a	- V			- 1. · · · · · · · · · · · · · · · · · ·
7-7/8"	1,-1 /2#	9.5#		63.70	ULERLING	+ + +
1-1/4		<b>Z4,</b> 2#				
				H 4		a tradition of the second of t
Intend	to drill to tot	to damph for	5800' to test	And Badhad	A	
Cormatio	on. If compare	da) menduati	on is obtained	was received	A. T.	
casing.	perforate and	hara azibina	uctive somes.	******		
	Francisco	demina bran	den her in a definite of		黄金红 人名英巴	
				*	A second of the second	
				2		
				16		1 1 N
				v.		
				**		ng 1 Tabut Projekting
				, " ·		
				•		
N AROVE SPACE DESCRIRE	PROPOSED PROGRAM : If	nronosal is to deene	n or plug back, give data	on present prod	netive sone and propos	ed new productive
one. If proposal is to reventer program, if any	drill or deepen direction		data on subsurface locati			
4.	D in		<u> </u>	2 1		4 2
SIGNED .	Kogras	TITL	West - Se	ept,	DATE 12	(-6)
(This space for Feder	ral or State office use)			<del></del> _		<del></del>
,						
nmnarem No			APPROVAL DATE		<u> </u>	
PERMIT NO.						

TITLE

5800- 51/2.


Company CACTUS DRILLING COMPANY

Lease Cactus Uniq Carp Mawaja Well No.

Sec. 36 , T 40 S , R 25 E S.L.M.

Location 780 feet from the North and 780 feet from the West line

Elevation 4838.0 UNGRADED GROUND



Scale-4 inches equal 1 mile

This is to certify that the above plat was prepared from field note of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seat:

Registered Land Surveyor.

James P. Leese Utah Reg. No. 1472

Surveyed 21 November , 19 63

#### December 6, 1963

Cactus Drilling Corporation Box 2146 Farmington, New Mexico

Attention: District Superintendent

Re: Notice of Intention to Drill Well No. NAVAJO #1, 780' FNL & 780' FWL, SE NW NW of Section 36, Township 40 South, Range 25 East, SLBM, San

Juan County, Utah.

#### Gentlemen:

Insofar as this office is concerned, approval to drill Well No. Navajo #1 is hereby granted. However, this approval is conditional upon a Designation of Agent being filed with this Commission in accordance with Rule A-4. General Rules and Regulations and Rules of Practice and Procedure. Utah State Oil and Gas Conservation Commission.

As soon as you have determined that it will be necessary to plug and abandon the above mentioned well, you are hereby requested to immediately notify the following:

> PAUL W. BURCHELL, Chief Petroleum Engineer Office: DA 8-5771 or DA 8-5772 CR 7-2890 Home: Salt Lake City, Utah

This approval terminates within 90 days if this well has not been spudded in within said period.

Enclosed please find Form OGCC-8-X, which is to be completed if water sands (aquifers) are encountered while drilling, particularly assessable near surface water sands. Your cooperation with respect to completing this form will be greatly appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

#### CBF: cnp

cc:

P. T. McGrath, District Engineer U. S. Geological Survey

Farmington, New Mexico

H. L. Coonts, Petroleum Engineer Oil & Gas Conservation Commission

Moab, Utah

Form 9-331 (May 1963)

4

16.

14. PERMIT NO.

# ITED STATES SUBDEPARTMENT OF THE INTERIOR Vers

SUBMIT IN T'
(Other instructions side)

CATE\*

Form approved.

Budget Bureau No. 42-W1424

12. COUNTY OR PARISH 13. STATE

San Juan

DEPARIMENT OF THE INTERIOR verse side)  GEOLOGICAL SURVEY	5. LEASE DESIGNATION AND SERIAL NO.
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
OIL GAS GAS WELL OTHER	7. UNIT AGREEMENT NAME
NAME OF OPERATOR	8. FARM OR LEASE NAME
Cactus Drilling Corporation	Navajo
ADDRESS OF OPERATOR	9. WELL NO.
Box 2146, Farmington, N. Mex.	<b>1</b>
LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	10. FIELD AND POOL, OR WILDCAT
780' From West Line 780' From North Line	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
	Sec.36 - TLOS-R25E

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL. TEST WATER SHUT-OFF ALTERING CASING FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT SHOOT OR ACIDIZE ABANDON\* SHOOTING OR ACIDIZING ABANDONMENT\* CHANGE PLANS REPAIR WELL (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4838' GL

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \*

Well to be plugged at following intervals:

56001 - 54001

4750' - 4600

28001 - 26001

1485' - 1385'

Ran one DST as follows: Tested from 5523' to 5575'

ISI-1/2 Hr. Tools Open 2 hrs. FSI-1/2 Hr.

IHP-3025# ISIP-2131# IFP-102# INFNIBES# FFP-3L9# FSIP-1930# FHP-2910#

Had moderate blow throughout test, found gas in drill pipe 2100' shows tools. Total recovery, 750' fluid (250' oil & gas cut drlg. mud, 500' slightly oil cut salt water)

	$_{ m S}$ $_{ m A}$			
18. I hereby certify that the poregoing is true and correct				_
SIGNED COROGIES	TITLE Assistant Drlg. Supt.	DATE 12-	30-63	_
(This space for Federal or State office use)				=
APPROVED BY	TITLE	DATE		
CONDITIONS OF APPROVAL, IF ANY:				

## OIL & GAS CONSERVATION COMMISSION OF THE STATE OF UTAH

#### DESIGNATION OF AGENT

The undersigned producer, operator, transporter, refiner, gasoline or initial purchaser who is conducting oil and/or gas operations in the State of Utah, does, pursuant to the Rules and Regulations, and Rules of Practice
and Procedure of the Oil and Gas Conservation Commission of the State of Utah, hereby appoint whose address is  (his, her or its) designated agent
to accept and to be served with notices from said Commission, or from other persons authorized under the Oil and Gas Conservation Act of the State of Utah.

The undersigned further agrees to immediately report in writing, all changes of address of the agent, and any termination of the agent's authority, and in the latter case, the designation of a new agent or agents shall be immediately made. This designation of agent, however, shall remain in full force and effect until and unless a new designation agent is filed in accordance with said statute and said regulations.

Effective Date of Designation 12-8-63

Company Caclus Alag Core, Address Drawer 71-Sandauglo, Pelan

By Akages Title Ast Supt.

(Signature)

NOTE: Agent must be a resident of Utah

Looy H. L. C.

UBMIT IN T.	CAT
Other instruct.	on
area eida)	-

Form 9-331 (May 1963)	DEDARTIA	TED STA		(Otho	IT IN T.	CATE*	Budge	approved. et Bureau No. 4	
		ENT OF THE		IUK verse	side) -		14-20-6	enation and ser	IAL NO.
CUN	***************************************			ON WEI	1.0	<del></del>	6. IF INDIAN	-3 6 6	D NAME
(Do not use this	form for proposal	ES AND RESTRICTED TO SERVICE TO S	epen or plug "for such t	DIN WEL back to a difference to a	-L-3 ferent reservo	dr.	Ne verige	Tra bale a	•
1.							7. UNTE A BRIDE	MENT NAME 3	<del></del>
OIL GAS WELL  2. NAME OF OPERATOR	OTHER						8. FARMOR SE	Land Co.	
2. NAME OF OPERATOR Cactus Drill:	ing Corp.			HA	Ho.		Navas e	rementation of the second of t	
3. ADDRESS OF OPERATOR	;						9. wig.ic 100.5	reding tests or Ed burg to burg	
Box 2146, Far	mington, Meport location cles	. Mex.	nce with any	State requir	ements.*		12 元 2 元 10. <b>胸动</b> 动物		
See also space 17 belo At surface	ow.)	·	·	_			William	one such a such	
780! From Wes	st Line	780' From N	orth Lir	18,			11. and to the	OR ADDA S R	τ
			J	MXW			Sec. 9136	-THOS-REG	<u>ያ</u> :
14. PERMIT NO.		15. ELEVATIONS (SI 4838 GL	how whether D	F, RT, GR, etc.)			12. COUNTY 98	- 28 1 ペラ3	ATE
							San Jee	in 3 \$3.₽€ 3 a 5 b	311
16.		ropriate Box To	Indicate l	Nature of N	lotice, Rep		- 무유미글		
	NOTICE OF INTENTI					SUBSEQUE	NT REPORT OF:	in the state of th	
TEST WATER SHUT-O		LL OR ALTER CASIN LITIPLE COMPLETE	(G )		ER SHUT-OFF Ture treatm	ENT -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	BRING CASING	
SHOOT OR ACIDIZE	AB	ANDON*			TING OR ACID	-	#####################################	NDONMENT	x
REPAIR WELL (Other)	Сн	ANGE PLANS		(Oth	er) Plug (Note: Repo	rt results		pletion on Well	
17. DESCRIBE PROPOSED OF proposed work. If	R COMPLETED OPERA	TIONS (Clearly sta	te all pertine	nt details, an				22 2	ting an
nent to this work.)	wen is unections	aly ulinea, give a	upsuriace roce	enons and me	astreu anu t	rue verticus	មុខ <b>១</b> ១១ ខ្លាំង	E P 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3	
Well plugged	as follows	s: Plug #1	56001 t	o 54001	with 50	sa <b>c</b> ks	Electrine	origan association of the control of	
		Plug <b>#2</b> Plug <b>#3</b>	4750! t	10001 o 46001	with 45			10 40 H	าร์ชก
		Plug #4					tressers and tressers and the state of the s	nostro in Jose din odr d'ille de lare	
		Dry hole					o = 5 ≥ ≠	Loger Digitals Construction	
		Dry hole	marker	atta <b>c</b> hed	to top	of sur	face easi	ng a color	; (
Job complets	d at 6:30 I	PM 12-30-63					Jones (1976)	12 con 12	)  -
	×					,	tropa describe the relation of the endanger report of the stand reports of the standard of the	copie seculity constant to the state of the	
	•						ent sing lepth lepth lepth	PERONOUSE IN A STANDARD STANDA	<b>[</b>
`							7 0 [ 7 0 [ 26 1 0 70 0 70 0 70 0 70 0 70 0 70 0 70 0	instructions.  Sable State requirement and practice, etchoration and practices, etchorational and practices, etc., etc	
•							sedue bas. uloni bluo vis to sul errorgas o levorgas	antoner eder 115. Sheder 1816 teders 1816 teder	* *
							are i othe othe i succ	Step 1	1
							Se to Dark Hear Hear	fault of the State	
							r s nefe droger dremes q to boo	e becilic instruction of the Santa and Instru	
			•				obasis. 91 bits s 10 by col 11 cold 12 cold	i. ebecrij i.o. ubby i.o. ubby i.o. ubby i.o. ubby	5
							Dection of the second of the s	or ebecitic instructions.  The second list of the s	**
18. I hereby certify that	the foregoing is	true and correct		-	•		Lineage Lineag	digital di	,
SIGNED	nogue	4	TITLE AS	sistant	Erlg. Si	ıpt•		1-2-6	2.
(This space for Fede	eral or State office	use)					17:11 18:31 18:31 19:31	T. or its	
APPROVED BY	PPROVAL, THE AN	Y:	TITLE				👸 DATE ⋍	- <sup>12</sup> 등 등 등 등 등 등	<u> </u>
COMBILIONS OF A.	LAUIAH, IF AN						tinke af tinke af ty evods ty evods	bors lare bors lare bol slood rus limool noti	្វី
							es es es	nt <u>ž</u> aš	

#### March 26, 1964

Cactus Drilling Corporation Box 2146 Farmington, New Mexico

> Re: Well No. Navajo #1 Sec. 36, T. 40 S., R. 25 E.,

San Juan County, Utah

#### Gentlemen:

This letter is to advise you that the well log and electric and/or radioactivity logs for the above mentioned well are due and have not been filed with this Commission as required by our rules and regulations.

We are in the process of compiling our yearly well. completion report, and it will be appreciated if you could complete and return the enclosed Forms OGCC-3, "Well Completion or Re-Completion Report and Log" as soon as possible.

Thank you for your consideration in this request.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK RECORDS CLERK

cnp

Enclosure

#### STATE OF UTAH

#### SUBMIT IN DUPLICATE\*

(See other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.

NID	
VF-	

WELL COM	MPLETION (	OD DECO							03-348
1a. TYPE OF WELL		OK KECON	APLETIC	NC	REPORT	AND LO	OG * 6.	_	lottee or tribe nat Tribal
	L: OIL WELL	X GAS WELL	DRY	, []	Other		7.	UNIT AGREEMS	
b. TYPE OF COMP		WEDE C	J Da	. —	Other			Na≞va⊫jo #	<i></i> ∤1
NEW X	WORK DEEP-	PLUG BACK	DIFF. RESVE	ı. 🗌	Other			FARM OR LEAS	
2. NAME OF OPERATO			-				<del></del>   ]	Naavajo	
Constant	Dailline (	onnonet:	ion				9.	WELL NO.	
3. ADDRESS OF OPER	ATOR	on ponace.	LULL	·····		-1		1	
Box 214	46 Farming	rton Nev	. Mexi	co.			10	. FIELD AND PO	OOL, OR WILDCAT
Box 2]4 4. LOCATION OF WEL								Wildcat	<u> </u>
At surface	780' From	n West L:	ine 78	30' .	From No	orth Li	ne ii	OR AREA	., OR BLOCK AND SURVI
At top prod. inte	erval reported belo	w Plug 8	k Aba	ndor	1				
At total depth	5755						Se	ec.36- 7	740SR25E.
At total depth	0100		14. PERM	rm No	·	DATE ISSUED		. COUNTY OR	13. STATE
			14. PERS	III NO.	1	DATE ISSUED	1	PARISH	<u> </u>
5. DATE SPUDDED	16. DATE T.D. REA	CHED   17 DATE	COMPL (F	Peadu to	nrad) lac		ISa	in Juan	Utah
ţ				ięgay re	18		(DF, RKB, RT, G	R, ETC.)	. ELEV. CASINGHEAD
12-2-63 20. total depth, md &	12-29-63 E TVD   21. PLUG,	3   Plug	ged	TE MI'T	TIDLE COMBI	<u>4838 (</u>		OTARY TOOLS	CABLE TOOLS
W. TOTAL DEPTH, MU &	E TVD 21. PLUG,	BACK T.D., MD & 1	VD 22.	HOW M.	TIPLE COMPL.	23. IN	RILLED BY		CABLE TOOLS
A DRODUCING INTERN	VALUE OF THE O	WILL EMICK TOP	DODEON N	1MB (M	ID AND TUD)		<u>→   1</u>	es	25. WAS DIBECTIONAL
24. PRODUCING INTERV	VAL(S), OF THIS CO	JMPLETION—TOP,	BUTTOM, N	ADE (M	יוע אוט דייטיי	*			SURVEY MADE
		i i							37
6. TYPE ELECTRIC AL	ND OFFER LOCK BU	NT .		-	·			1 27	Yes Was well cored
								1	
	ion Electr				Ray So				No.
CASING SIZE	WEIGHT, LB./FT				ort all strings		EMENTING RECO	ORD	1 AMOUNT PULLED
	-								AMOUNT PULLED
8 5/8	24#	143	25		1"	<u>350</u> Sa	ucks		-
					·				_
					· · · · · · · · · · · · · · · · · · ·			<del></del>	
9.	T.1	NER RECORD		<del></del>		30.	TUR	ING RECORD	
SIZE		<del></del>	SACKS CEM	ENT*	SCREEN (MI		<del></del>	H SET (MD)	PACKER SET (MD)
	101 (110)	(110)	A CELL					ii dei (iib)	- TACHES 022 (222)
					<del></del> _				_
1. PERFORATION RECO	ORD (Interval, size	and number)	<del></del>	<del></del>	32.	ACID SHO	T FRACTURE	, CEMENT SQ	HEEZE ETC
					l	ERVAL (MD)			MATERIAL USED
					- DB1111 1111		- Aside N		MAXIMI VOLU
							-		
					<u> </u>		-		
3.*				PROD	UCTION				
ATE FIRST PRODUCTIO	ON PRODUC	rion METHOD (F	lowing, gas	lift, pu	mping—size	and type of p	ump)	WELL STAT	us (Producing or
					<u> </u>				
ATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. TEST PE		OIL-BBL.	GAS-	MCF. W	ATER-BBL.	GAS-OIL RATIO
				<del>-</del>					<u> </u>
LOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BB	L.	GASI	MCF.	WATER-BBL	. OIL	GRAVITY-API (CORR.)
	- (0:11	<u> </u>	1						
" DESCRIPTION OF AL	s (Sold, used for fu	iei, vented, etc.)					TE	ST WITNESSED	вх
4. DISPOSITION OF GR			· · · · · · · · · · · · · · · · · · ·						
5. LIST OF ATTACHM	IENTS								
5. LIST OF ATTACHM									
		and attached inf	ormation i	s compl	ete and corre	ct as determi	ned from all a	vailable record	s

# **NSTRUCTIONS**

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on thems 22 and 24, and 38, below regarding separate reports for separate completions.

If not filed prior to the time this submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State of Federal office for specific instructions.

If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements.

If there is noticed on this form, see item 35.

It is completed for separate production from more than one interval zone (multiple completion), so state in item 24 show the produced interval.

Items 22 and 24: If this well is completed for separately produced, showing the additional data pertinent to such interval.

Items 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Here 33: Submit a separate completion report on this form to reach interval. (See instruction for items 22 and 24 above.)

DEPTH INTERVAL	DEPTH ALL TESTED, OS OF THE POOL OF BY, FLOWING	USED, TIME TOOL	DPBN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES DESCRIPTION. CONTENTS. ETC.		TOP	a.
• CONTRACTOR				NAMB	MEAS. DEPTH	TRUE VERT. DEPTH
D.S.T. #1 Desert Creek	5523-	5575	ISI 1/2 Hr.Tool Open 2 1/2 Hrs. IHP-3025# ISIP-2131# IFP-102# FFP-348# FSI-1930# FHP-2910# Had Moderate blow throughout test found gas in drill pipe 2100' above Tools. Total Recovery 750' fluid, 250' Oil & Gas Cut Drlg. Much 500' Slightly Oil cut Salt Water	Desert Gree	K 5523	
MAR 3 0 1964	4			o granding i ordani. Na ordani bo A Orionalia I aa i		

#### March 30, 1964

Cactus Drilling Corporation Box 2146 Farmington, New Mexico

Re: Well No. Navajo #1
Sec. 36, T. 40 S., R. 25 E.,
San Juan County, Utah

#### Gentlemen:

Thank you for your "Well Completion or Recompletion Report and Log" and Sonic Log-Gamma Ray. Upon reviewing these logs, it was noted that you also run a Induction-Electic log and a Direction Survey was made. It would be appreciated if we could receive copies of said log and survey.

It will also be appreciated if you would complete and return the enclosed Form OGCC-8-X, "Report of Water Encountered During Drilling".

Thank you for your consideration in these requests.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELIA N. PECK RECORDS CLERK

CDD

Enclosure